

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : perma Food grade grease H1 SF10

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Grease

Recommended restrictions
on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

perma-tec GmbH & Co. KG
Hammelburger Str. 21
97717 EUERDORF
GERMANY
Tel: +49 9704 609-0
Fax: +49 9704 609-50
www.perma-tec.com

E-mail address of person
responsible for the SDS : msds@perma-tec.com

National contact :

1.4 Emergency telephone number

+49 9704 609-99 (Mo-Do 08:00-16:30, Fr 08:00-12:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version 2.3.1 Revision Date: 22.12.2021 Date of last issue: 28.11.2019
Date of first issue: 03.07.2014

Print Date:
22.12.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil
ester oil
aluminium complex soap

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
disodium sebacate	17265-14-4 241-300-3 01-2120762063-61-XXXX	Eye Irrit.2; H319		$\geq 1 - < 10$
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 0.25 - < 1$
Amines, C12-14-alkyl, isooctyl phosphates	68187-67-7 269-119-5 01-2120286234-55-XXXX	Acute Tox.4; H302 Acute Tox.4; H312 Skin Corr.1C; H314 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic1;	M-Factor: 1/1	$\geq 0.25 - < 1$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version 2.3.1 Revision Date: 22.12.2021 Date of last issue: 28.11.2019
Date of first issue: 03.07.2014

Print Date:
22.12.2021

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	701-177-3 01-2119488991-20-XXXX	H410 Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400	M-Factor: 1/	>= 0.25 - < 1
---	--	---	--------------	---------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
Wash off with soap and water.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version 2.3.1 Revision Date: 22.12.2021 Date of last issue: 28.11.2019
Date of first issue: 03.07.2014

Print Date:
22.12.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of:
Carbon oxides
Metal oxides
Nitrogen oxides (NO_x)
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

- Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-di-tert-butyl-p-cresol	128-37-0	TWA	10 mg/m ³	GB EH40 (2005-04-06)
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (pe-	Workers	Inhalation	Long-term systemic	160 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version 2.3.1 Revision Date: 22.12.2021 Date of last issue: 28.11.2019
Date of first issue: 03.07.2014

Print Date:
22.12.2021

troleum)			effects	
	Workers	Skin contact	Long-term systemic effects	220 mg/kg
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35.26 mg/m3
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Workers	Dermal	Long-term systemic effects	220 mg/kg bw/day
2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	3.5 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.5 mg/kg
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0.8 mg/m3
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
isopropyl oleate	Fresh water sediment	2.978 mg/kg
	Marine sediment	2.978 mg/kg
disodium sebacate	Fresh water	0.018 mg/l
	Marine water	0.002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.548 mg/kg
2,6-di-tert-butyl-p-cresol	Marine sediment	0.055 mg/kg
	Soil	0.099 mg/kg
	Fresh water	0.199 µg/l
	Marine water	0.02 µg/l
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Intermittent use/release	2.39 µg/l
	Microbiological Activity in Sewage Treatment Systems	0.17 mg/l
	Fresh water sediment	0.0996 mg/kg
	Marine sediment	0.00996 mg/kg
	Soil	0.04769 mg/kg
	Oral	8.33 mg/kg
	Fresh water	0.00043 mg/l
Marine water	0.000043 mg/l	
Microbiological Activity in Sewage Treatment Systems	1 mg/l	
Fresh water sediment	0.007 mg/kg	
Marine sediment	0.001 mg/kg	
Soil	1.71 mg/kg	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version 2.3.1 Revision Date: 22.12.2021 Date of last issue: 28.11.2019
Date of first issue: 03.07.2014

Print Date:
22.12.2021

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : beige

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version 2.3.1 Revision Date: 22.12.2021 Date of last issue: 28.11.2019
Date of first issue: 03.07.2014

Print Date:
22.12.2021

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	0.90 g/cm ³ (20 °C)
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available

9.2 Other information

Sublimation point	:	No data available
Self-ignition	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Components:

disodium sebacate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

2,6-di-tert-butyl-p-cresol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Amines, C12-14-alkyl, isooctyl phosphates:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1.05 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

disodium sebacate:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : no

2,6-di-tert-butyl-p-cresol:

Species : Rabbit
Assessment : No skin irritation
Result : No skin irritation

Amines, C12-14-alkyl, isooctyl phosphates:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive, category 1C - where responses occur after expo-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

Assessment : Did not cause sensitisation on laboratory animals.
Result : Did not cause sensitisation on laboratory animals.

2,6-di-tert-butyl-p-cresol:

Species : Humans
Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Amines, C12-14-alkyl, isooctyl phosphates:

Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.
GLP : yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

disodium sebacate:

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test
Result: negative
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Result: negative

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Amines, C12-14-alkyl, isooctyl phosphates:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

disodium sebacate:

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation

2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Components:

2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version 2.3.1 Revision Date: 22.12.2021 Date of last issue: 28.11.2019
Date of first issue: 03.07.2014

Print Date:
22.12.2021

Aspiration toxicity

Product:

This information is not available.

Components:

disodium sebacate:

No aspiration toxicity classification

2,6-di-tert-butyl-p-cresol:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

disodium sebacate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: semi-static test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): 38.7 mg/l
Exposure time: 72 h
Test Type: static test
Method: ISO 10253
GLP: yes

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.57 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.61 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.316 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Amines, C12-14-alkyl, isoocetyl phosphates:

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1 mg/l
Exposure time: 96 h
Test Type: static test
Method: Regulation (EC) No. 440/2008, Annex, C.1
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 17 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 0.8 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.43 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.43 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6.3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

disodium sebacate:

Biodegradability : Result: Biodegradable
Biodegradation: 89 %
Exposure time: 28 d

2,6-di-tert-butyl-p-cresol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

Result: Not rapidly biodegradable
Biodegradation: 4.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Amines, C12-14-alkyl, isooctyl phosphates:

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 35 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.D.
GLP: yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 85.2 %
Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

disodium sebacate:

Partition coefficient: n-octanol/water : log Pow: -4.9 (20 °C)
pH: 7.8

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): 598.4
Partition coefficient: n-octanol/water : log Pow: 5.1

Amines, C12-14-alkyl, isooctyl phosphates:

Partition coefficient: n-octanol/water : log Pow: 1.87
Method: OECD Test Guideline 117
GLP: yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-octanol/water : log Pow: 3.5 - 4.2

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

2,6-di-tert-butyl-p-cresol:

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

12.6 Other adverse effects

Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

- REACH - List of substances subject to authorisation (Annex XIV) : Article 57).
: Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 0.2 %

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

- H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H314 : Causes severe skin burns and eye damage.
H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H332 : Harmful if inhaled.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

- GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1	22.12.2021	Date of first issue: 03.07.2014	22.12.2021

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Chronic 3 H412

Classification procedure:

Calculation method

This safety data sheet applies only to products originally packed and labelled by perma-tec. The information contained therein may not be reproduced or modified without the express written permission of perma-tec. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of perma-tec. perma-tec provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. perma-tec provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Food grade grease H1 SF10

Version	Revision	Date:	Date of last issue: 28.11.2019	Print Date:
2.3.1		22.12.2021	Date of first issue: 03.07.2014	22.12.2021

justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of perma-tec.